

# Chemical Storage Inspection Checklist

Inspector Name:

Inspection Date:

Location:

Item	Yes	No	N/A	Comments
All chemical containers are clearly labeled	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
MSDS/SDS available for all chemicals	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
Containers are in good condition (no leaks/damage)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
Chemicals stored according to compatibility rules	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
Secondary containment in place	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
Spill kits available and accessible	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
Proper ventilation in storage area	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
Emergency contact information posted	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
Fire extinguishers present and accessible	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>
Eye wash/shower stations accessible	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<div></div>

Additional Notes: